



BLANKET TENSION

RECOMMENDED TORQUE SETTINGS

SHEETFEED PRESSES		Newton/Metres	Foot/Pounds
Heidelberg	GTO 52	31	23
	MO Series	41	30
	Speedmaster 52	32	24
	Speedmaster 74	46	34
	Speedmaster 102,102CD	63	47
KBA	Rapida 104	31	23
Komori	Lithrone/Sprint 25 & 26	46	34
	Lithrone/Sprint 28	51	37
	Lithrone 40	71	52
	Lithrone 44,50	82	60
MAN Roland	Rekord, Favorit, Parva	69	51
	600,700,800,900 Series	69	51
	200,300 Series	60	44
Mitsubishi	1F	58	43
	2F	69	51
	3F,4F,5F	98	72

Conversion factors : N/m = ft/pounds x 1.3558
 Kgf/cm = ft/pounds x 13.83