

Measurement File			Print	Close
1	GUID	d922c424-9245-43d5-8cd3-b1c601d81db4		
2	ORIGINATOR	Certified Web		
3	CREATED	3/17/2015 3:53:40 PM		
4	CREATEDGMT	3/17/2015 9:53:40 PM		
5	TARGET_NAME	IDEAlliance GRACoL coated1 2009		
6	PROOF_SUPPLIER			
7	TARGET_FILE	GRACoL2006_Coated1v2.icc		
8	CP_SERIAL_NUM	U10628		
9	MEASUREMENT_TARGET	dE		
10	DE_FORMULA	dE		
11	PAPER_LIMIT	3.00		
12	AVERAGE_LIMIT	3.00		
13	MAXIMUM_LIMIT	6.00		
14	PRIMARY_LIMIT	5.00		
15	PRIMARY_LIMIT_DH	2.50		
16	GRAY_AVERAGE_LIMIT_DH	1.50		
17	AvgNeg_DotArea_Tol			
18	AvgPos_DotArea_Tol			
19	MaxNeg_DotArea_Tol			
20	MaxPos_DotArea_Tol			
21	PAPER_STRICT			
22	AVERAGE_STRICT			
23	MAXIMUM_STRICT			
24	PRIMARY_STRICT			
25	ID	17		
26	PAPER	2.06		
27	AVERAGE	3.28		
28	MAXIMUM_DE			
29	MAXIMUM_DE_VALUE	5.74		
30	PRIMARY_DE			
31	PRIMARY_DE_VALUE	3.48		
32	Primary_DH			
33	Gray_Average_DH	0.88		
34	AvgNeg_DotArea			
35	AvgPos_DotArea			
36	MaxNeg_PatchName			
37	MaxNeg_DotArea			
38	MaxPos_PatchName			
39	MaxPos_DotArea			
40	PROOF_OK	0		
41	DEVICE	X-Rite ILS20EP vG216		
42	DEVICE_SerialNo			
43	MEASUREMENT			
44	ILLUMINANT			
45	FILTER			
46	USER	automatic		
47	CUSTOMER			
48	PRINTER_MODEL	Stylus Pro 7900		
49	PRINTER_SERIAL	KJHE006618		
50	PRINTER_STATE	Printing, Ink low (Unknown) , Ink low (9th ink cartridge from the left) , PhotoBlack ink used		
51	PRINTER_USER			
52	PRINTER_HOST			
53	PRINTER_TIME	Mar 17 2015 3:54PM		
54	Printer_InkName_0	Black		
55	Printer_InkValue_0	0.96		
56	Printer_InkName_1	Black#2		
57	Printer_InkValue_1	0.50		
58	Printer_InkName_2	Cyan		
59	Printer_InkValue_2	0.95		
60	Printer_InkName_3	Green		
61	Printer_InkValue_3	0.02		
62	Printer_InkName_4	Light Black		

63	Printer_InkValue_4	0.94
64	Printer_InkName_5	Light Cyan
65	Printer_InkValue_5	0.32
66	Printer_InkName_6	Light Light Black
67	Printer_InkValue_6	0.50
68	Printer_InkName_7	Light Magenta
69	Printer_InkValue_7	0.95
70	Printer_InkName_8	Magenta
71	Printer_InkValue_8	0.88
72	PRINTER_PAPER	
73	PRINTER_CC_TABLE	PearlProof_Gracol_Coated_3dip03.dat
74	PRINTER_ICC_TARGET	
75	JOB	G7 Sync Digital Page 11x7_FOLD1_FRONT.pdf
76	PROOFER	EPSON Stylus Pro 7900
77	INFO_TEXT	
78	NUMBER_OF_SETS	54
79	OUTPUT_CATEGORY	Color
80	OUTPUT_MANUFACTURER	
81	OUTPUT_MODEL	Stylus Pro 7900
82	OUTPUT_SERIAL_NUMBER	KJHE006618
83	OUTPUT_RIP_TYPE	
84	OUTPUT_SUBSTRATE	CGS_PEARL_SMW
85	OUTPUT_SUBSTRATE_SKU	
86	OUTPUT_SUBSTRATE_BATCH	
87	OUTPUT_INK	
88	OUTPUT_INK_SKU	
89	OUTPUT_INK_BATCH	
90	OUTPUT_CHEMISTRY	
91	OUTPUT_CHEMISTRY_SKU	
92	OUTPUT_CHEMISTRY_BATCH	
93	OUTPUT_RESOLUTION	
94	OUTPUT_LINE_SCREEN	
95	OUTPUT_DOT_SHAPE	
96	OUTPUT_SEPARATION	
97	OUTPUT_TARGET_DENSITY_C	
98	OUTPUT_TARGET_DENSITY_M	
99	OUTPUT_TARGET_DENSITY_Y	
100	OUTPUT_TARGET_DENSITY_K	
101	OUTPUT_TARGET_DENSITY_THRESHOLD	
102	OUTPUT_TARGET_DOT_GAIN_C	
103	OUTPUT_TARGET_DOT_GAIN_M	
104	OUTPUT_TARGET_DOT_GAIN_Y	
105	OUTPUT_TARGET_DOT_GAIN_K	
106	OUTPUT_TARGET_DOT_GAIN_THRESHOLD	
107	OUTPUT_TARGET_PRINT_CONTRAST_C	
108	OUTPUT_TARGET_PRINT_CONTRAST_M	
109	OUTPUT_TARGET_PRINT_CONTRAST_Y	
110	OUTPUT_TARGET_PRINT_CONTRAST_K	
111	OUTPUT_TARGET_PRINT_CONTRAST_THRESHOLD	
112	OUTPUT_TARGET_TRAP_R	
113	OUTPUT_TARGET_TRAP_G	
114	OUTPUT_TARGET_TRAP_B	
115	OUTPUT_TARGET_TRAP_THRESHOLD	
116	OUTPUT_1ST_INK	
117	OUTPUT_2ND_INK	
118	OUTPUT_3RD_INK	
119	OUTPUT_4TH_INK	
120	TIMESTAMP	3/17/2015 4:54:09 PM

Data																							
ID_N	Sample_ID	Sample_Name	CMYK_C	CMYK_M	CMYK_Y	CMYK_K	LAB_L1	LAB_A1	LAB_B1	LAB_L2	LAB_A2	LAB_B2	DE	DL	DA	DB	DH	DC	DENSITY	DENS_TARGET	DENS_ACTUAL	TOL_STRICT	TOL_STAND
	0	A1	100.00	0.00	0.00	60.00	30.15	-22.64	-28.81	27.18	-18.85	-29.84	4.92	-2.97	3.79	-1.03	3.69	-1.35	1.90				6.00
	0	A2	100.00	0.00	0.00	0.00	55.18	-37.12	-50.00	53.08	-34.62	-50.24	3.27	-2.10	2.50	-0.24	2.17	-1.26	1.52				5.00
	0	A3	70.00	0.00	0.00	0.00	66.85	-25.15	-37.02	64.65	-22.73	-37.16	3.27	-2.20	2.42	-0.14	2.11	-1.19	0.80				6.00

0	A4	30.00	0.00	0.00	0.00	82.97	-9.99	-17.84	80.65	-9.21	-18.34	2.50	-2.32	0.78	-0.50	0.92	0.08	0.33					6.00
0	A5	0.00	100.00	0.00	60.00	26.54	41.58	-1.73	26.07	38.85	-2.34	2.84	-0.47	-2.73	-0.61	-0.75	-2.70	1.90					6.00
0	A6	0.00	100.00	0.00	0.00	48.12	74.12	-3.02	45.93	73.10	-2.25	2.54	-2.19	-1.02	0.77	0.73	-1.05	1.79					5.00
0	A7	0.00	70.00	0.00	0.00	60.58	51.97	-5.66	57.84	53.07	-6.08	2.98	-2.74	1.10	-0.42	-0.30	1.14	0.94					6.00
0	A8	0.00	30.00	0.00	0.00	80.35	20.38	-5.35	77.34	22.26	-6.85	3.85	-3.01	1.88	-1.50	-0.93	2.22	0.36					6.00
0	A9	0.00	0.00	100.00	60.00	48.70	-5.29	49.15	46.40	-5.11	44.34	5.33	-2.30	0.18	-4.81	0.35	-4.80	1.68					6.00
0	A10	0.00	0.00	100.00	0.00	89.29	-5.01	93.16	86.88	-4.84	90.66	3.48	-2.41	0.17	-2.50	-0.04	-2.51	1.35					5.00
0	A11	0.00	0.00	70.00	0.00	90.92	-4.56	63.62	88.77	-4.89	64.04	2.22	-2.15	-0.33	0.42	0.30	0.44	0.81					6.00
0	A12	0.00	0.00	30.00	0.00	93.20	-2.51	24.77	91.08	-2.78	25.33	2.21	-2.12	-0.27	0.56	0.21	0.59	0.33					6.00
0	A13	100.00	0.00	40.00	0.00	52.74	-53.18	-19.34	50.67	-51.30	-20.78	3.15	-2.07	1.88	-1.44	2.02	-1.24	1.46					6.00
0	A14	40.00	100.00	0.00	0.00	38.05	52.56	-22.05	37.10	49.36	-20.92	3.52	-0.95	-3.20	1.13	-0.20	-3.39	1.52					6.00
0	A15	0.00	40.00	100.00	0.00	71.17	22.93	72.42	68.52	24.09	72.39	2.89	-2.65	1.16	-0.03	-1.11	0.33	1.45					6.00
0	A16	0.00	40.00	70.00	40.00	51.09	15.10	33.04	47.58	16.32	30.77	4.35	-3.51	1.22	-2.27	-2.10	-1.50	1.28					6.00
0	A17	0.00	70.00	40.00	40.00	42.36	33.39	13.21	39.38	32.89	12.11	3.22	-2.98	-0.50	-1.10	-0.85	-0.86	1.29					6.00
0	A18	40.00	70.00	0.00	40.00	34.76	23.05	-17.13	31.65	23.47	-17.10	3.14	-3.11	0.42	0.03	0.27	0.32	1.35					6.00
0	A19	40.00	0.00	70.00	40.00	52.66	-18.05	26.08	50.02	-16.71	23.71	3.79	-2.64	1.34	-2.37	0.26	-2.71	1.13					6.00
0	A20	70.00	40.00	0.00	40.00	36.74	-1.48	-26.60	33.13	1.32	-27.38	4.63	-3.61	2.80	-0.78	2.80	0.77	1.22					6.00
0	A21	0.00	0.00	0.00	3.00	93.24	-0.09	-1.98	91.30	0.57	-3.15	2.36	-1.94	0.66	-1.17	0.56	1.22	0.10					6.00
0	A22	0.00	0.00	0.00	10.00	88.26	-0.24	-1.99	86.06	0.65	-3.19	2.66	-2.20	0.89	-1.20	0.82	1.25	0.17					6.00
0	A23	0.00	0.00	0.00	25.00	77.72	-0.40	-1.97	75.17	0.99	-2.45	2.94	-2.55	1.39	-0.48	1.33	0.63	0.31					6.00
0	A24	0.00	0.00	0.00	50.00	60.10	-0.54	-1.64	57.29	1.91	-3.05	3.99	-2.81	2.45	-1.41	2.12	1.87	0.60					6.00
0	A25	0.00	0.00	0.00	75.00	40.06	-0.58	-1.04	36.78	1.21	-2.55	4.03	-3.28	1.79	-1.51	1.68	1.63	1.03					6.00
0	A26	0.00	0.00	0.00	90.00	25.61	-0.33	-0.52	23.34	-0.35	-1.57	2.50	-2.27	-0.02	-1.05	0.34	0.99	1.41					6.00
0	A27	0.00	0.00	0.00	100.00	15.01	0.19	-0.14	14.37	-0.35	-1.25	1.39	-0.64	-0.54	-1.11	-0.63	1.06	1.75					5.00
0	B1	100.00	100.00	0.00	60.00	15.23	8.85	-24.60	14.12	7.90	-24.42	1.47	-1.11	-0.95	0.18	-0.84	-0.48	1.80					6.00
0	B2	100.00	100.00	0.00	0.00	24.23	17.20	-46.14	21.56	17.63	-45.85	2.72	-2.67	0.43	0.29	0.50	-0.12	1.46					6.00
0	B3	70.00	70.00	0.00	0.00	40.99	17.09	-35.79	37.39	19.69	-36.13	4.45	-3.60	2.60	-0.34	2.16	1.49	1.07					6.00
0	B4	30.00	30.00	0.00	0.00	69.86	8.37	-19.26	66.48	11.26	-20.26	4.56	-3.38	2.89	-1.00	2.15	2.18	0.47					6.00
0	B5	0.00	100.00	100.00	60.00	26.32	35.37	24.53	25.00	33.05	21.05	4.39	-1.32	-2.32	-3.48	-1.61	-3.86	1.93					6.00
0	B6	0.00	100.00	100.00	0.00	47.56	68.26	48.79	45.91	66.41	48.01	2.60	-1.65	-1.85	-0.78	0.45	-1.96	1.50					6.00
0	B7	0.00	70.00	70.00	0.00	59.32	47.58	39.24	57.21	47.57	38.00	2.45	-2.11	-0.01	-1.24	-0.96	-0.79	1.05					6.00
0	B8	0.00	30.00	30.00	0.00	78.94	17.93	18.19	75.58	19.29	17.17	3.77	-3.36	1.36	-1.02	-1.68	0.28	0.47					6.00
0	B9	100.00	0.00	100.00	60.00	28.57	-39.35	12.04	26.78	-35.77	7.92	5.74	-1.79	3.58	-4.12	3.07	-4.51	1.78					6.00
0	B10	100.00	0.00	100.00	0.00	50.32	-68.43	25.00	47.77	-66.06	20.63	5.59	-2.55	2.37	-4.37	3.38	-3.65	1.26					6.00
0	B11	70.00	0.00	70.00	0.00	62.93	-41.47	20.98	61.08	-40.50	20.45	2.16	-1.85	0.97	-0.53	0.04	-1.10	0.86					6.00
0	B12	30.00	0.00	30.00	0.00	80.96	-14.75	8.26	78.49	-13.94	7.60	2.68	-2.47	0.81	-0.66	0.19	-1.03	0.37					6.00
0	B13	100.00	40.00	0.00	0.00	42.74	-16.27	-48.20	39.00	-12.30	-49.40	5.58	-3.74	3.97	-1.20	4.15	0.04	1.56					6.00
0	B14	0.00	100.00	40.00	0.00	48.47	70.97	17.77	47.17	69.39	17.69	2.05	-1.30	-1.58	-0.08	0.31	-1.55	1.71					6.00
0	B15	40.00	0.00	100.00	0.00	73.00	-25.23	65.11	70.77	-25.18	63.83	2.57	-2.23	0.05	-1.28	0.42	-1.21	1.35					6.00
0	B16	10.00	40.00	40.00	0.00	70.53	19.75	18.63	67.03	21.33	18.52	3.84	-3.50	1.58	-0.11	-1.14	1.10	0.64					6.00
0	B17	20.00	70.00	70.00	0.00	53.60	36.62	28.61	50.74	37.09	28.06	2.95	-2.86	0.47	-0.55	-0.72	0.04	1.08					6.00
0	B18	0.00	70.00	70.00	40.00	41.80	31.98	26.79	38.71	31.04	25.33	3.54	-3.09	-0.94	-1.46	-0.53	-1.65	1.38					6.00
0	B19	70.00	0.00	40.00	40.00	45.58	-26.19	-3.86	42.60	-24.06	-4.45	3.71	-2.98	2.13	-0.59	0.93	-2.00	1.17					6.00
0	B20	0.00	0.00	0.00	0.00	95.37	-0.02	-1.97	93.91	0.50	-3.33	2.06	-1.46	0.52	-1.36	0.41	1.40	0.07					3.00
0	B21	3.10	2.20	2.20	0.00	92.81	0.17	-2.08	91.10	1.09	-3.47	2.39	-1.71	0.92	-1.39	0.61	1.55	0.10					6.00
0	B22	10.20	7.40	7.40	0.00	87.08	0.33	-2.01	84.36	1.37	-3.12	3.12	-2.72	1.04	-1.11	0.66	1.37	0.19					6.00
0	B23	25.00	19.00	19.00	0.00	75.75	0.23	-1.35	73.26	1.75	-2.56	3.16	-2.49	1.52	-1.21	0.88	1.73	0.35					6.00
0	B24	50.00	40.00	40.00	0.00	57.77	-0.08	-1.42	54.58	1.88	-2.62	3.93	-3.19	1.96	-1.20	1.43	1.80	0.65					6.00
0	B25	75.00	66.00	66.00	0.00	39.54	-0.36	-0.62	36.10	1.15	-1.76	3.93	-3.44	1.51	-1.14	1.29	1.39	1.06					6.00
0	B26	100.00	100.00	100.00	0.00	23.09	0.17	-0.25	21.60	-0.06	-1.64	2.05	-1.49	-0.23	-1.39	-0.44	1.34	1.48					6.00
0	B27	80.00	70.00	70.00	100.00	8.58	-0.02	0.30	8.07	0.38	-1.09	1.53	-0.51	0.40	-1.39	-1.17	0.85	2.06					6.00