


# proofSIGN Certification

Job name : 2000 patches opt v3  
 Printed by : Reaction Asset Management  
 Proofer : Epson Stylus Pro 9890  
 Date / Time : Friday, 5 September 2014 : 16:59  
 Proof Target : proofSIGN ISO V3 - ISO Coated v2 (ECI)

|                  |          | $\Delta H$ |          |           |      |
|------------------|----------|------------|----------|-----------|------|
| $\Delta E76(ab)$ | Measured | Tolerance  | Measured | Tolerance |      |
| Cyan             | 1.44     | 5.00       | Pass     | 0.37      | 2.50 |
| Magenta          | 3.62     | 5.00       | Pass     | 3.36      | 2.50 |
| Yellow           | 1.97     | 5.00       | Pass     | 0.47      | 2.50 |
| Black            | 0.84     | 5.00       | Pass     | 0.04      | 2.50 |
| Grey Balance     |          |            |          | 0.67      | 1.50 |
| Paper Colour     | 1.37     | 3.00       | Pass     |           |      |
| All Average      | 1.57     | 3.00       | Pass     |           |      |
| All Maximum      | 3.63     | 6.00       | Pass     |           |      |




| C   | M   | Y   | K   | Reference Lab |        |        | Measured Lab |        |        | $\Delta H$ | $\Delta E76(ab)$ |
|-----|-----|-----|-----|---------------|--------|--------|--------------|--------|--------|------------|------------------|
| 100 | 0   | 0   | 0   | 55.01         | -36.96 | -50.01 | 56.27        | -37.62 | -50.27 | 0.37       | 1.44             |
| 75  | 0   | 0   | 0   | 64.71         | -26.83 | -39.63 | 64.69        | -27.69 | -40.84 | 0.04       | 1.49             |
| 50  | 0   | 0   | 0   | 75.62         | -16.45 | -26.76 | 75.46        | -16.79 | -27.18 | 0.07       | 0.56             |
| 25  | 0   | 0   | 0   | 85.84         | -7.45  | -14.18 | 85.78        | -8.21  | -15.47 | 0.07       | 1.50             |
| 0   | 100 | 0   | 0   | 48.00         | 74.00  | -2.96  | 47.29        | 74.93  | -6.38  | 3.36       | 3.62             |
| 0   | 75  | 0   | 0   | 58.34         | 55.03  | -6.39  | 58.16        | 54.87  | -7.88  | 1.50       | 1.51             |
| 0   | 50  | 0   | 0   | 71.25         | 33.69  | -7.31  | 70.87        | 33.44  | -9.40  | 2.08       | 2.14             |
| 0   | 25  | 0   | 0   | 83.80         | 15.37  | -5.79  | 83.49        | 14.54  | -8.06  | 2.41       | 2.44             |
| 0   | 0   | 100 | 0   | 89.02         | -4.95  | 92.93  | 88.54        | -5.52  | 94.76  | 0.47       | 1.97             |
| 0   | 0   | 75  | 0   | 90.04         | -4.71  | 67.95  | 89.93        | -6.17  | 67.23  | 1.52       | 1.63             |
| 0   | 0   | 50  | 0   | 91.56         | -4.02  | 40.95  | 91.47        | -5.01  | 40.12  | 1.08       | 1.30             |
| 0   | 0   | 25  | 0   | 93.31         | -2.08  | 17.56  | 93.05        | -2.77  | 16.26  | 0.87       | 1.50             |
| 70  | 0   | 100 | 60  | 35.37         | -25.38 | 25.68  | 35.33        | -25.44 | 25.08  | 0.47       | 0.61             |
| 20  | 100 | 0   | 40  | 31.04         | 47.96  | -9.06  | 30.69        | 48.27  | -11.48 | 2.30       | 2.47             |
| 100 | 100 | 0   | 40  | 18.31         | 15.66  | -32.74 | 19.14        | 15.29  | -33.48 | 0.65       | 1.18             |
| 100 | 40  | 40  | 20  | 35.98         | -26.11 | -20.87 | 36.01        | -25.96 | -21.93 | 0.91       | 1.07             |
| 0   | 0   | 0   | 0   | 95.03         | 0.05   | -2.14  | 94.88        | -0.53  | -3.37  | 0.49       | 1.37             |
| 0   | 0   | 0   | 5   | 92.00         | 0.03   | -2.09  | 92.18        | -0.33  | -3.59  | 0.28       | 1.55             |
| 0   | 0   | 0   | 10  | 88.95         | -0.01  | -2.07  | 89.34        | -0.85  | -3.90  | 0.60       | 2.05             |
| 0   | 0   | 0   | 30  | 76.10         | -0.11  | -2.03  | 76.06        | -0.34  | -3.48  | 0.11       | 1.47             |
| 0   | 0   | 0   | 50  | 61.82         | -0.11  | -1.59  | 62.24        | -0.87  | -3.03  | 0.48       | 1.68             |
| 0   | 0   | 0   | 70  | 45.55         | -0.06  | -0.89  | 46.04        | -0.47  | -1.57  | 0.27       | 0.94             |
| 0   | 0   | 0   | 85  | 31.75         | -0.01  | -0.46  | 31.96        | -0.68  | -1.39  | 0.36       | 1.16             |
| 0   | 0   | 0   | 100 | 16.03         | -0.01  | -0.01  | 15.72        | -0.65  | -0.46  | 0.04       | 0.84             |
| 0   | 100 | 100 | 0   | 47.02         | 68.01  | 47.99  | 46.86        | 67.96  | 45.67  | 1.88       | 2.33             |
| 0   | 70  | 70  | 0   | 58.55         | 47.13  | 37.80  | 58.73        | 47.01  | 35.43  | 1.79       | 2.38             |
| 0   | 40  | 40  | 0   | 74.18         | 22.97  | 21.36  | 73.80        | 22.38  | 19.30  | 1.13       | 2.17             |
| 100 | 0   | 100 | 0   | 50.04         | -64.96 | 27.02  | 51.65        | -65.23 | 26.22  | 0.84       | 1.82             |
| 70  | 0   | 70  | 0   | 62.17         | -39.79 | 20.97  | 62.94        | -41.88 | 20.82  | 1.09       | 2.23             |
| 40  | 0   | 40  | 0   | 76.97         | -19.03 | 10.98  | 76.99        | -19.45 | 9.77   | 1.27       | 1.28             |
| 100 | 100 | 0   | 0   | 23.91         | 22.13  | -46.08 | 24.66        | 20.97  | -46.03 | 1.03       | 1.38             |
| 70  | 70  | 0   | 0   | 40.93         | 17.90  | -36.62 | 41.58        | 17.60  | -37.92 | 0.83       | 1.48             |
| 40  | 40  | 0   | 0   | 63.70         | 10.36  | -23.79 | 64.00        | 10.67  | -25.48 | 0.38       | 1.74             |
| 0   | 40  | 70  | 0   | 72.64         | 21.93  | 47.66  | 73.04        | 20.89  | 45.75  | 0.15       | 2.21             |
| 0   | 70  | 100 | 60  | 32.76         | 24.39  | 31.99  | 33.04        | 23.62  | 30.22  | 0.47       | 1.95             |
| 70  | 100 | 0   | 0   | 30.40         | 38.73  | -34.93 | 31.07        | 38.84  | -36.67 | 1.20       | 1.87             |
| 0   | 70  | 100 | 0   | 57.61         | 46.86  | 58.74  | 57.72        | 46.96  | 57.79  | 0.67       | 0.96             |
| 100 | 70  | 0   | 0   | 33.10         | 2.84   | -47.27 | 33.11        | 1.92   | -47.74 | 0.94       | 1.04             |
| 100 | 0   | 40  | 0   | 52.36         | -52.25 | -20.22 | 53.57        | -52.43 | -19.69 | 0.56       | 1.33             |
| 100 | 40  | 0   | 0   | 43.33         | -16.97 | -48.66 | 44.30        | -17.88 | -49.44 | 0.60       | 1.54             |
| 40  | 0   | 100 | 0   | 73.67         | -22.80 | 67.51  | 74.29        | -23.49 | 67.58  | 0.63       | 0.93             |
| 4   | 3   | 3   | 0   | 92.13         | 0.21   | -2.28  | 92.18        | -0.52  | -4.40  | 0.67       | 2.24             |
| 9   | 6   | 7   | 0   | 88.81         | -0.13  | -1.97  | 89.57        | -0.71  | -3.27  | 0.38       | 1.61             |
| 27  | 19  | 20  | 0   | 76.14         | -0.29  | -2.16  | 76.24        | -0.23  | -4.32  | 0.25       | 2.16             |
| 45  | 35  | 35  | 0   | 62.19         | -0.07  | -1.81  | 63.25        | -1.13  | -2.74  | 0.81       | 1.76             |
| 65  | 56  | 56  | 0   | 45.87         | 0.96   | -0.19  | 46.68        | 0.28   | -1.26  | 1.23       | 1.51             |

# proofSIGN Certification

Job name : 2000 patches opt v3  
 Printed by : Reaction Asset Management  
 Proofer : Epson Stylus Pro 9890  
 Date / Time : Friday, 5 September 2014 : 16:59  
 Proof Target : proofSIGN ISO V3 - ISO Coated v2 (ECI)

|                  |          | $\Delta H$ |          |           |      |
|------------------|----------|------------|----------|-----------|------|
| $\Delta E76(ab)$ | Measured | Tolerance  | Measured | Tolerance |      |
| Cyan             | 1.44     | 5.00       | Pass     | 0.37      | 2.50 |
| Magenta          | 3.62     | 5.00       | Pass     | 3.36      | 2.50 |
| Yellow           | 1.97     | 5.00       | Pass     | 0.47      | 2.50 |
| Black            | 0.84     | 5.00       | Pass     | 0.04      | 2.50 |
| Grey Balance     |          |            |          | 0.67      | 1.50 |
| Paper Colour     | 1.37     | 3.00       | Pass     |           |      |
| All Average      | 1.57     | 3.00       | Pass     |           |      |
| All Maximum      | 3.63     | 6.00       | Pass     |           |      |



| C   | M   | Y   | K   | Reference Lab |        |        | Measured Lab |        |        | $\Delta H$ | $\Delta E76(ab)$ |
|-----|-----|-----|-----|---------------|--------|--------|--------------|--------|--------|------------|------------------|
| 85  | 77  | 77  | 0   | 32.03         | -0.06  | -0.50  | 32.15        | -0.26  | -0.90  | 0.11       | 0.46             |
| 100 | 100 | 100 | 0   | 22.90         | 0.17   | -0.08  | 23.24        | -0.32  | -1.15  | 0.60       | 1.22             |
| 100 | 0   | 0   | 100 | 10.44         | -8.13  | -10.25 | 10.56        | -9.29  | -9.58  | 1.31       | 1.34             |
| 0   | 100 | 0   | 100 | 10.44         | 13.94  | 1.30   | 11.07        | 12.88  | 0.40   | 0.83       | 1.53             |
| 0   | 0   | 100 | 100 | 15.75         | -3.13  | 11.63  | 17.48        | -3.13  | 10.63  | 0.27       | 1.99             |
| 20  | 0   | 100 | 40  | 58.91         | -10.56 | 58.18  | 59.67        | -10.72 | 58.33  | 0.13       | 0.79             |
| 40  | 0   | 100 | 40  | 53.51         | -17.68 | 48.69  | 54.24        | -18.05 | 48.93  | 0.26       | 0.85             |
| 70  | 0   | 100 | 40  | 44.75         | -31.46 | 33.36  | 45.51        | -31.35 | 33.97  | 0.49       | 0.98             |
| 100 | 0   | 100 | 40  | 36.89         | -47.78 | 19.50  | 37.32        | -47.90 | 18.77  | 0.73       | 0.86             |
| 0   | 100 | 0   | 60  | 27.01         | 42.59  | -1.85  | 26.60        | 42.74  | -3.12  | 1.26       | 1.34             |
| 20  | 100 | 0   | 60  | 24.52         | 37.91  | -6.58  | 24.42        | 37.84  | -8.34  | 1.74       | 1.77             |
| 40  | 100 | 0   | 60  | 21.85         | 32.19  | -11.62 | 21.93        | 32.03  | -12.99 | 1.34       | 1.38             |
| 70  | 100 | 0   | 60  | 18.01         | 22.38  | -19.14 | 18.83        | 22.14  | -20.34 | 1.06       | 1.47             |
| 70  | 10  | 0   | 0   | 63.73         | -19.94 | -37.28 | 64.66        | -21.37 | -37.53 | 1.13       | 1.72             |
| 70  | 20  | 0   | 0   | 60.41         | -14.93 | -37.37 | 61.52        | -15.79 | -37.59 | 0.71       | 1.42             |
| 70  | 40  | 0   | 0   | 52.98         | -3.25  | -37.50 | 54.12        | -3.72  | -37.87 | 0.43       | 1.29             |
| 70  | 70  | 0   | 0   | 40.93         | 17.90  | -36.62 | 41.52        | 17.48  | -38.07 | 1.00       | 1.62             |
| 0   | 10  | 40  | 0   | 87.97         | 2.69   | 28.50  | 88.05        | 1.69   | 25.01  | 0.72       | 3.63             |
| 0   | 20  | 40  | 0   | 83.60         | 8.85   | 25.94  | 83.35        | 8.43   | 23.09  | 0.55       | 2.89             |
| 0   | 40  | 40  | 0   | 74.18         | 22.97  | 21.36  | 73.71        | 22.46  | 19.45  | 1.07       | 2.03             |
| 0   | 70  | 40  | 0   | 59.57         | 48.18  | 16.66  | 60.06        | 47.77  | 14.94  | 1.50       | 1.83             |
| 100 | 0   | 40  | 80  | 20.42         | -21.74 | -8.32  | 21.07        | -21.81 | -9.05  | 0.65       | 0.98             |
| 100 | 80  | 0   | 40  | 22.15         | 6.60   | -33.85 | 23.15        | 5.96   | -34.22 | 0.70       | 1.24             |
| 0   | 100 | 40  | 80  | 18.87         | 26.91  | 6.61   | 18.70        | 25.78  | 5.99   | 0.34       | 1.30             |
| 100 | 40  | 0   | 80  | 16.87         | -6.85  | -19.36 | 17.06        | -7.50  | -19.73 | 0.48       | 0.77             |
| 100 | 0   | 100 | 80  | 20.65         | -26.00 | 9.56   | 21.23        | -25.96 | 9.18   | 0.35       | 0.70             |