

TN DPR runs

	In target		In Bearer (tooth side)	
	CV	PB	CV	PB
Secondaries				
CM				
Density	1.57	1.55	1.6	1.64
L	21.04	20.42	20.31	18.28
a	16.71	17.74	16.89	19.6
b	-44.41	-43.78	-44.55	-44.43
c	47.45	47.24	47.64	48.56
h	290.62	292.05	290.77	293.81
dE to spec (LAB)	3.33	4.27	4.11	6.39
CY				
Density	1.51	1.53	1.48	1.51
L	46.86	46.51	44.22	46.34
a	-68	-69.76	-65.1	-68.42
b	18.83	26.27	18	27.08
c	70.56	74.54	67.55	73.59
h	164.52	159.37	164.54	158.4
dE to spec (LAB)	7.18	3.76	8.72	3.81
MY				
Density	1.44	1.51	1.48	1.59
L	48.66	48.51	47.84	48.27
a	67.62	67.94	68.5	68.04
b	45.66	49.21	46.46	52.79
c	81.6	83.89	82.77	86.12
h	34.03	35.92	34.15	37.8
dE to spec (LAB)	2.64	2.29	1.53	5.38
Primaries				
Cyan				
Density	1.54	1.6	1.52	1.55
L	52.1	52.3	52.12	52.94
a	-37.59	-39.23	-37.29	-39.14
b	-47.75	-47.89	-47.86	-47.23
c	60.77	61.9	60.68	61.34
h	231.78	230.68	232.08	230.35
dE to spec (LAB)	3.72	4.09	3.59	4.02
Magenta				
Density	1.32	1.38	1.4	1.4
L	49.61	49.2	48.53	48.72
a	72.55	73.28	74.01	74.17
b	-3.02	-2.73	-1.18	-2.52
c	72.61	73.33	74.02	74.21
h	357.62	357.87	359.09	358.05
dE to spec (LAB)	2.17	1.44	1.8	0.88
Yellow				
Density	0.98	1.07	1.04	1.06
L	89.38	89.3	89.4	89.09
a	-7.27	-7.36	-7.06	-7.38
b	90.58	97.1	95.36	96.43
c	90.87	97.31	95.62	96.71
h	94.59	94.34	94.24	94.28
dE to spec (LAB)	3.34	4.74	3.16	4.33