

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2013


Version number 1

Revision: 19.03.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** XTRAMAX WATER FLOW S85 25L
- **Article number:** 143630
- **1.2 Relevant identified uses of the substance or mixture and uses advised against -**
- **Application of the substance / the preparation:** Surface tension reducer
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
FUJIFILM Belgium NV
EUROPARK-NOORD 21-22
9100 SINT-NIKLAAS
BELGIUM
TEL: +32 3 760 02 00
FAX: +32 3 776 91 22
- **Further information obtainable from:** ehs@fujifilm.eu
- **1.4 Emergency telephone number:** +32 3 760 02 00 (office hour: 8u-16u30)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xi; Sensitising
R43: May cause sensitisation by skin contact.
 - **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 - **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
-
- **2.2 Label elements**
 - **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
 - **Code letter and hazard designation of product:**
 Xi Irritant
 - **Hazard-determining components of labelling:**
mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
 - **Risk phrases:**
43 May cause sensitisation by skin contact.
 - **Safety phrases:**
24 Avoid contact with skin.
37 Wear suitable gloves.

(Cont. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L











(Cont. from page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 6381-92-6 EINECS: 205-358-3	Ethylene diamine tetraacetic acid disodium salt dihydrate  Xi R36  Eye Irrit. 2, H319	1-<3%
CAS: 55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one  T R23/24/25;  C R34;  Xi R43;  N R50/53  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331;  Skin Corr. 1B, H314;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Sens. 1, H317	0.0015-<0.06%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L

(Cont. from page 2)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
 - Dilute with plenty of water.
 - Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Avoid contact with the eyes and skin.
 - Wash hands before breaks and at the end of work.
 - Immediately remove all soiled and contaminated clothing
 - Do not eat or drink while working.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - Requirements to be met by storerooms and receptacles:**
 - Store only in the original receptacle.
 - Store in cool, dry conditions in well sealed receptacles.
 - Information about storage in one common storage facility:** Not required.
 - Further information about storage conditions:**
 - Protect from frost.
 - Storing food in the working area is prohibited.
 - **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
 - **Personal protective equipment:**
 - **Respiratory protection:** Not necessary if room is well-ventilated.

(Cont. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L

(Cont. from page 3)

· **Protection of hands:**



Protective gloves

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.

· **Material of gloves**

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butyl rubber (thickness ≥ 0.36 mm, breakthrough time > 480 min), nitrile rubber (thickness ≥ 0.38 mm, breakthrough time > 480 min) or neoprene (thickness ≥ 0.65 mm, breakthrough time > 240 min).

· **As protection from splashes gloves made of the following materials are suitable:**

For intermittent splash protection corresponding gloves with breakthrough time > 60 min. can be used.

· **Not suitable are gloves made of the following materials:** Natural rubber, NR

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.

· **pH-value at 20°C:** 6.3

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100°C

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

(Cont. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L

(Cont. from page 4)

· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	
Not determined.	
· Density at 20°C:	
1.0115 g/cm ³	
· Relative density	
Not determined.	
· Vapour density	
Not determined.	
· Evaporation rate	
Not determined.	
· Solubility in / Miscibility with water:	
Fully miscible.	
· Partition coefficient (n-octanol/water):	
Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	0.00 %
· 9.2 Other information	
No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant

GB

(Cont. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L

(Cont. from page 5)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
 - **European waste catalogue**
- | | |
|----------|---|
| 06 00 00 | WASTES FROM INORGANIC CHEMICAL PROCESSES |
| 06 03 00 | wastes from the MFSU of salts and their solutions and metallic oxides |
| 06 03 14 | solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13 |
- **Uncleaned packaging:**
 - **Recommendation:** Disposal must be made according to official regulations.
 - **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|--|------|
| • 14.1 UN-Number | |
| • ADR, ADN, IMDG, IATA | Void |
| • 14.2 UN proper shipping name | |
| • ADR, ADN, IMDG, IATA | Void |
| • 14.3 Transport hazard class(es) | |
| • ADR, ADN, IMDG, IATA | |
| • Class | Void |
| • 14.4 Packing group | |
| • ADR, IMDG, IATA | Void |

(Cont. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.03.2013

Version number 1

Revision: 19.03.2013

Trade name: XTRAMAX WATER FLOW S85 25L

(Cont. from page 6)

- | | |
|---|-----------------|
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

SECTION 15: Regulatory information

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- | | |
|-----------|--|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| R23/24/25 | Toxic by inhalation, in contact with skin and if swallowed. |
| R34 | Causes burns. |
| R36 | Irritating to eyes. |
| R43 | May cause sensitisation by skin contact. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

- **Creation Date** 15.09.2009

- *** Data modified compared to previous version.**