

FIERY SERVER CONFIGURATION

1

10/04/2020 19:58

SERVER: ASPS80
IP ADDRESS: 192.168.1.20

PRINTER: Xerox EX 80 Print Server US 1.2

Fiery Server

Server Name	ASPS80
Server Comments	
Domain or Workgroup	WORKGROUP
Product	Xerox EX 80 Print Server US 1.2
Version	1.2_SP4
Software	FS150 Pro
Memory (MB)	3345
Disk Size (GB)	865.3
Free Disk Space (GB)	855.3
Regional Settings	
Server Language	English - US
Date Format	mm/dd/yyyy
Number Format	1000 = 1,000.00
Measurement Units	Inches
Default Paper Sizes	Inches
Color Region	North America
Time Zone	(UTC-06:00) Central Time (US & Canada)
Daylight saving	Yes
Use Character Set	Macintosh
Enable Remote Desktop	No
Print Start Page	No
Enable System Updates	Yes
Day	Daily
Time	06:00 PM
Fiery System Updates	Automatically download and install updates
Fiery Application Updates	Automatically download and install updates
Enable Proxy	No
Job Log Setup	
Enable auto export	No
Job Log Page Size	11x17/A3
Secure Job Log	Yes
Enable SNTP	No
Enable Printed Queue	Yes
Jobs Saved in Printed Queue	10
Fiery OS	Windows 7 Professional
Installed Fiery Utilities	
Fiery Command WorkStation	5.6.0.36
Fiery Seequence	4.6.0.038
Fiery Hot Folders	3.6.0.21

Job Submission

Printer	
Personality	PS
Publish Direct Connection	Yes
Publish Print Queue	Yes
Publish Hold Queue	Yes
Published Virtual Printers	
VP80 hold	
VP80 print	
VP80 direct	
Sequential Print	

Enable Sequential Print	No
Enable LPD	Yes
Default LPD queue	Print Queue
Enable Port 9100	Yes
9100 Queue	Print
Enable Windows Printing	Yes
Server Name	ASPS80
Server Comments	
Domain or Workgroup	WORKGROUP
Enable IPP	Yes
Enable WSD	Yes
WSD Queue	hold
Enable Direct Mobile Printing	No
USB	
Enable USB Port	No
Enable Hot Folders	Yes
JDF Setup	
Fiery JDF Version:	1.3.0.18
Enable JDF	No
PrintMe Setup	
Enable PrintMe	Yes
Enable Proxy	No

Job Management

Enable Rip While Receive	Yes
Preview While Processing	No
Enable Mismatch Action	No
Sample Print	
Frequency	On-demand
Content	Sheet
Sample print output tray	Disabled

Network Setup

Port Setup	
Ethernet	
Enable Ethernet	Yes
Ethernet Address	A0:42:3F:2F:41:CA
Ethernet Speed	Auto (10/100/1000)
802.1x Setup	
Enable 802.1x Authentication	No
IPv4 Setup	
Ethernet Setup	
Enable Auto IP Configuration	Yes
IP Address	192.168.1.20
Subnet mask	255.255.255.0
Enable Gateway automatically	No
Gateway Address	192.168.22.1
Enable DHCP	Yes
IP Address	192.168.1.1
DNS Setup	
Enable DNS	Yes
Get DNS setting automatically	Yes
Primary DNS server IP address	192.168.1.1
Secondary DNS server IP address	
Domain name	

FIERY SERVER CONFIGURATION

2

10/04/2020 19:58

SERVER: ASPS80
IP ADDRESS: 192.168.1.20

PRINTER: Xerox EX 80 Print Server US 1.2

Host name	ASPS80
WINS Setup	
Use WINS Server	No
Enable IPv6	Yes
IP Address(es)	fe80:0000:0000:0000:6074:f65d:e899:5a31/11
Protocol Setup	
Enable AppleTalk	No
Service Setup	
Use FTP Passive mode	No
Enable Web Services	Yes
Enable FTP Proxy	No
Enable SLP	Yes
Scope Name	Default
Enable Bonjour	Yes
Bonjour Service Name	Xerox EX 80 Print Server US 1.2(2F:41:CA)
Preferred Printing Protocol	LPD
Enable SNMP	Yes
Security Level	Medium
Enable Email Services	No
Enable LDAP	No

Security Setup

Password Enabled	Yes
Allow printing from	All users
Secure Erase	No
IP Filtering	No
Enable IPv6 Filter	No
Port filtering	Yes
20-21 (FTP)	Enabled
80 (HTTP)	Enabled
135 (MS RPC)	Enabled
137-139 (NETBIOS)	Enabled
161-162 (SNMP)	Enabled
427 (SLP)	Enabled
443 (SSL)	Enabled
445 (SMB/IP)	Enabled
500 (ISAKMP)	Enabled
515 (LPD)	Enabled
631 (IPP)	Enabled
3389 (Remote Desktop)	Enabled
3702 (WS-Discovery)	Enabled
4500 (IPSec)	Enabled
5353 (mDNS)	Enabled
9100-9103 (Raw)	Enabled
EFI Ports	Enabled
IPSec Setup	No

RIP

Adobe PDF Print Engine	
Enable Adobe PDF Print Engine (APPE)	Yes
PDF Print Engine preferred	No
PS Setup	
Allow courier substitution	Yes

Print to PS error	No
Default paper sizes	US
Cover page	Off
Convert paper sizes	No
Enable fast black	On
Resolution	1200 dpi
Printer screen mode	Enhanced text
Text/graphics quality	Normal
Text/graphics edge enhancement	Off
Offset jobs	Off
Output delivery	Face down - normal order
Output tray	Auto tray select
Sample print output tray	Disabled
Print master	No
Cache PDF and PS objects	On

PCL Setup

Enable fast black	On
Output delivery	Face down - normal order
Output tray	Auto tray select
Default orientation	Portrait
Form length	60.00
Font size (pt)	12.00
Font pitch (char/in)	10.00
Symbol set	PC-8
Font source	Internal
Font number	0
Append CR to LF	Yes
Paper size for system pages	US

VDP Setup

FreeForm 1 Record Length	FreeForm Master
Parse number of records while spooling	10
Set Page Device (SPD)	No

Native Document Setup

Enable Native Document Conversion	No
-----------------------------------	----

Color Setup

RGB Source Profile	sRGB (PC)
Rendering Intent	Photographic
CMYK Source Profile	GRACoL2006 Coated1 (EFI)
CMYK Processing Method	Full (Output GCR)
Separate RGB/Lab to CMYK source	Off
Use Media Defined Profile	On
Output Profile	Fiery Xerox VP80 Uncoated 90gsm v1F
Black Text and Graphics	Pure Black On
Black Overprint (for pure black)	Text/Graphics
Spot Color Matching	On
Black point compensation	On
RGB Gray Processing	Off
CMYK Gray Processing	Text/Graphics/Images
Use embedded profile when present (RGB)	Off
Use embedded profile when present (CMYK)	Off

Calibration Info

Measurement Method	EFI ES-2000
Calibration page layout	Calibration
Prepare scanner for ColorCal calibration	Off

FIERY SERVER CONFIGURATION

3

10/04/2020 19:58

SERVER: ASPS80
IP ADDRESS: 192.168.1.20

PRINTER: Xerox EX 80 Print Server US 1.2

BIOS Setup

BIOS Version 1.30 03/14/2013

ID R00258024

Installed Options

Fiery Connectivity with
FreeFlow

Scan Set Up

Scan to Email Yes

Scan to Windows SMB Yes

Enable Scan to FTP Yes

Enable Scan Yes

Default File Format PDF

Clear Each Scan Job After 1 week

Printer Info

SYSTEM UPDATES LOG

4

10/04/2020 19:58

SERVER: ASPS80
IP ADDRESS: 192.168.1.20

PRINTER: Xerox EX 80 Print Server US 1.2

FIERY UPDATES

DATE & TIME	PATCH ID	NAME
	FIT100601769	
	FIT100771025	
	FIT100966993	
	FIT100966995	
	FIT100956939	
	FIT100967858	
	FIT101080668	
Thu Nov 07 18:03:08 2019	FIT101097565	Fiery Patch to address Security vulnerabilities.
Wed Jan 08 09:16:58 2020	FIT101131507	Fiery composite patch for Xerox EX 80 Print Server 1.2
Wed Jan 08 09:22:04 2020	SP1_FIT101283962	Service Pack 1 for EX 80 Print Server Powered by Fiery.
Wed Jan 08 09:28:58 2020	SP2_FIT101556793	Service Pack 2 for EX 80 Print Server Powered by Fiery.
Wed Jan 08 09:36:46 2020	FIT101650671	Fiery Patch to address Security vulnerabilities.
Sat Feb 08 18:04:58 2020	SP3_FIT101856083	Service Pack 3 for EX 80 Print Server Powered by Fiery.
Mon Aug 31 15:16:08 2020	FIT101866649	Fiery Patch to address Security Vulnerabilities.
Mon Aug 31 15:31:12 2020	FIT101972618	Fiery Patch to address Security Vulnerabilities.
Mon Aug 31 18:01:50 2020	FIT102048816	Fiery Patch to address Security Vulnerabilities.
Mon Aug 31 18:17:40 2020	SP4_FIT102028119	Service Pack 4 for EX 80 Print Server Powered by Fiery.
Mon Aug 31 18:30:18 2020	FIT102039766	Fiery Patch to address Network settings disabling issue in Centware Scanning page.
Tue Sep 01 19:05:59 2020	FIT102049342	Fiery Patch to address printing issue of multiple copies for a particular job.
Tue Sep 01 19:02:01 2020	FIT102195063	Fiery patch to address PrintMe Update issue
Wed Sep 02 18:00:04 2020	FIT102195063	Fiery patch to address PrintMe Update issue
Sun Sep 27 18:06:19 2020	FIT102058633	Patch to upgrade the Fiery API version to 5.1.45.00.

APPLICATION UPDATES

DATE & TIME	PATCH ID	NAME
-------------	----------	------

OS UPDATES

DATE & TIME	PATCH ID	NAME
8/31/2020		Update for Windows (KB2999226)
8/31/2020		Update for Windows (KB2999226)
11/7/2019		Windows Update Agent 7.6.7600.320